

My AlaiTM Multisystem Support



TGA-LISTED AUST L: 408964

My AlaiTM Multisystem Support is a powdered nutraceutical formulation with comprehensive nutritional support for general health and well-being. It contains a blend of vitamins, minerals, antioxidants, herbs and nutrient compounds that support health at its foundations to improve the quality of your skin and hair and the health of your body and mind.

- Supports healthy gastrointestinal and immune system function
- Supports cognitive function and brain health
- Helps maintain healthy blood sugar and lipids
- Supports body metabolism, energy production & thermogenesis
- Reduces inflammation and free radical damage
- Assists natural cleansing with Western Herbal Medicine
- Supports detoxification processes
- Promotes hair thickness and reduces hair loss
- Promotes collagen formation and supports skin health
- Enhances memory and helps the body adapt to stress with Traditional Chinese Medicine.
- And supports eye health and vision, cardiovascular function, reproductive health, bone growth and muscle performance.

FLAVOURS

Natural Vanilla, Raspberry and Lime.

GENERAL

CONVENIENT ONCE-A-DAY DOSING CONTENT: 560g powdered formulation DOSE: 20g a day

Bio-Alai°

My Alai

Multisystem Support
Comprehensive multi-system nutritional and
homeopathic support for improved vitality
and general health and well-being.


DIRECTIONS

The daily maximum dose is 20g which is equivalent to 2 scoops taken orally. Mix with 250mls of water or juice and drink within two hours. For oral use only.

FREE FROM artificial flavours, colours, and sweeteners, gluten, lactose and milk products, egg, peanuts, tree nuts, sesame seeds, soya bean products, pollen, yeast, fish products, crustacea, and other animal products.

Contains naturally-occurring sugars and sulfites, and 3.45mg of potassium per 1g.







INTEGRITY

Bio-Alai® is committed to developing unique products of the highest efficacy, purity and quality. All ingredients have been sourced to the highest purity available and we have excluded ingredients that do not meet our high standards. There are no pro-inflammatory protein powders or bulking agents.



OUALITY

My AlaiTM Multisystem Support is a TGA-listed product manufactured in Australia according to Good Manufacturing Standards. It has undergone stringent quality control testing for toxins and contaminants during and after the manufacturing process to ensure the highest quality and safety.



PURITY

My Alai™ Multisystem Support is safe for individuals with common dietary restrictions and sensitivities. It is vegan and free from wheat, gluten, dairy, lactose, egg, sesame, peanuts, nuts, yeast, soy, bee pollen, fish, shellfish, animal products, artificial colours, sweeteners and flavours.



KEY ACTIVES & THEIR THERAPEUTIC BENEFITS

KEY ACTIVES	GUT	IMMUNE	ANTOXIDANT	VITALITY	METABOLISM	BRAIN	SKIN
QUERCETIN	activity. Que	ercetin inhibits ac	tivation of the inflammason	ne and cytokine relea	has anti-inflammatory, antion ase from dendritic cells and bilise mast cells (antihistami	macrophages (anti-
FUCOIDAN		a polysaccharide stem function to fi		. It is used in Tradition	nal Chinese Medicine to relie	eve inflammatio	n and enhance
ASTAXANTHIN	redness and	d swelling caused	l by UV-damage. Astaxanth	in also increases coll	d has photoprotective activi agen formation therefore im vision, and macula and retina	proving skin ela	
GRAPE SEED	anti-inflamm	natory activity. Gra		nal Chinese Medicin	I mixed tocopherols – all of v e to relieve inflammation, er m health. 8,9,10,11.		
GREEN TEA EXTRACT	3-gallate (E0	GCG). Green tea	extract has antioxidant acti	vity and reduces free	ne, theanine flavones and the radicals in the body. It is traceduction and thermogenes	aditionally used	in Ayurvedic
REISHI MUSHROOM	physiology t	-	on of the innate and adapti	•	des, glycoproteins, and poly is used in tradition Chinese		
CURCUMIN	scientifically	proven to have s	superior bioavailability. Curc	cumin upregulates de	ne only soluble form of curcu etoxification enzymes and ac oms of mild osteoarthritis. 1	cts as an antioxi	
PANAX GINSENG	inflammator	y benefits within	the brain and is used in trac	ditional Chinese Med	nt. Panax ginseng has neuro dicine to support learning, re ps the body adapt to stress	educe mental fa	
GLOBE ARTICHOKE	anthocyanir	n and caffeoylqui	nic derivatives. It is used in	traditional Western h	iver-protective properties su erbal medicine to relieve mi on and the natural cleansing	ild inflammation	of the
LIQUORICE ROOT					and antiviral compound. It is so helps support cardiovasc		
INULIN, PECTIN & FOS	increase bo		by increasing stool bulk. As		upport healthy digestive sys nealth, prebiotics enhance v		

KEY ACTIVES	GUT IMMUNE ANTOXIDANT VITALITY METABOLISM BRAIN SKIN						
ALPHA-LIPOIC ACID	Nicotinamide (vitamin B3) has gained popularity because it is a precursor for nicotinamide adenine dinucleotide, NAD. It plays a k role in neurotransmission and therefore supports the function of the nervous system. 31,32.						
NICOTINAMIDE	Nicotinamide (vitamin B3) has gained popularity because it is a precursor for nicotinamide adenine dinucleotide, NAD. Nicotinamide is essential for energy product and neurotransmission and helps support the function of the nervous and cardiovascular systems. 33,34.						
SILICA	Silica is a vital trace mineral that has long been used as to support the health of skin, hair and nails. It helps enhance skin elasticity, strength, and firmness and reduces hair thinning. Silica has also been found to promote hair strength and thickness as well as assist the growth of nails. 35,36.						
BIOTIN	Biotin is an essential nutrient that has been found to reduce hair thinning and promote hair strength and thickness. It also supports the growth and strength of nails. 37, 38, 39						
VITAMIN C	Vitamin C stimulates a healthy immune response by regulating the activity of T cells, B lymphocytes and mast cells. It also acts as an antioxidant to reduce free radicals in the body and is an essential cofactor for collagen production, therefore improving skin elasticity, strength and firmness. 40,41.						
CHOLINE	Choline is a nutrient compound that forms part of the cell wall and is involved in communication between neurons. It therefore he enhance neurotransmission, support cognitive function and brain health. It also assists digestion of fats and maintains healthy blo lipids. 42, 43.						
INOSITOL	Inositol is a carbohydrate compound found in the body that regulates the insulin response. It therefore helps support energy production, carbohydrate metabolism and a healthy blood sugar level. 44,45.						
CHROMIUM	Chromium is an essential trace mineral that assists carbohydrate metabolism and helps support healthy blood sugar levels. It is associated with enhanced vitality and general health and wellbeing. 46,47,48.						
ZINC	Zinc is an essential mineral that enhances vitality through its support of many cell functions. It is an antioxidant that reduces free radicals and enhance immune system. It also supports the health of the skin and reproductive system. 49,50,51,52						
MAGNESIUM	Magnesium is an essential micronutrient that plays many key roles in the body. It helps support carbohydrate metabolism and energy production, enhances muscle performance and relaxation, and promotes a healthy nervous system and bone growth. 53, 54						
IRON	Iron is a mineral and essential component of hemoglobin in red blood cells. It helps healthy red blood cell production. It also aids energy production, carbohydrate metabolism and healthy blood sugar. 55,56.						
VITAMINS B1, B2, B3, B5, B6 + B12	B-group vitamins are essential for many biochemical reactions and therefore serve vital roles in the body. They support mitochong function and energy production and are essential for the synthesis of neurotransmitters that support brain health. They also help regulate blood sugar levels and reduce inflammation in the body. See next page for key indications of individual B-vitamins. 57-68						

MORE NUTRIENTS IN INGREDIENTS PANEL NEXT PAGE

ACTIVE INGREDIENTS

EACH DAILY 20-G DOSE CONTAINS:

NUTRIENTS	
Curcumin	450mg
From HydroCurc® 500mg	
Piper nigrum fruit ext. dry conc Stand	2.11mg
Equiv. min. dry fruit 35.8mg	
Equiv. Piperine 2mg	
Pectin	1g
Inulin	1.9 g
Equiv. to fibre 1.71 g	
Equiv. to sucrose 152 mg	
Equiv. to fructose 38 mg	
Equiv. to glucose monohydrate 38 mg	
Fructooligosaccharides	2 g
Glycyrrhiza glabra root & stolon ext. dry conc. Stand1	g
Equiv. min. dry root & stolon 4g	
Equiv. Glycyrrhizinic acid 200mg	
Astaxanthin Powder-Astaxanthin Esters	100 mg
extracted from Haematococcus Pluvialis	
Equiv. to Astaxanthin 2 mg	
Fucus vesiculosus whole plant ext. dry conc.	50 mg
Equiv. dry whole plant 1g	
Ganoderma lucidum fruit body ext. dry conc.	100 mg
	100 mg
Ganoderma lucidum fruit body ext. dry conc.	100 mg 421mg
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g	
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g Vitis Vinifera Seed ext. dry conc Stand.	
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g Vitis Vinifera Seed ext. dry conc Stand. Equiv. to min. seed dry 50.72g Equiv. to procyanidins 400 mg Quercetin Dihydrate	
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g Vitis Vinifera Seed ext. dry conc Stand. Equiv. to min. seed dry 50.72g Equiv. to procyanidins 400 mg Quercetin Dihydrate Camellia sinensis leaf ext. dry conc. Stand	421mg
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g Vitis Vinifera Seed ext. dry conc Stand. Equiv. to min. seed dry 50.72g Equiv. to procyanidins 400 mg Quercetin Dihydrate	421mg 500mg
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g Vitis Vinifera Seed ext. dry conc Stand. Equiv. to min. seed dry 50.72g Equiv. to procyanidins 400 mg Quercetin Dihydrate Camellia sinensis leaf ext. dry conc. Stand	421mg 500mg
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g Vitis Vinifera Seed ext. dry conc Stand. Equiv. to min. seed dry 50.72g Equiv. to procyanidins 400 mg Quercetin Dihydrate Camellia sinensis leaf ext. dry conc. Stand Equiv. min. dry leaf 24.9 g Equiv. to Catechins 689 mg Equiv. to Epigallocatechin-3-0-gallate 415 mg	421mg 500mg
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g Vitis Vinifera Seed ext. dry conc Stand. Equiv. to min. seed dry 50.72g Equiv. to procyanidins 400 mg Quercetin Dihydrate Camellia sinensis leaf ext. dry conc. Stand Equiv. min. dry leaf 24.9 g Equiv. to Catechins 689 mg Equiv. to Catechins 689 mg Cynara scolymus leaf ext. dry conc.	421mg 500mg
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g Vitis Vinifera Seed ext. dry conc Stand. Equiv. to min. seed dry 50.72g Equiv. to procyanidins 400 mg Quercetin Dihydrate Camellia sinensis leaf ext. dry conc. Stand Equiv. min. dry leaf 24.9 g Equiv. to Catechins 689 mg Equiv. to Epigallocatechin-3-0-gallate 415 mg Cynara scolymus leaf ext. dry conc. Equiv. dry leaf 3 g	421mg 500mg 830mg
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g Vitis Vinifera Seed ext. dry conc Stand. Equiv. to min. seed dry 50.72g Equiv. to procyanidins 400 mg Quercetin Dihydrate Camellia sinensis leaf ext. dry conc. Stand Equiv. min. dry leaf 24.9 g Equiv. to Catechins 689 mg Equiv. to Epigallocatechin-3-0-gallate 415 mg Cynara scolymus leaf ext. dry conc. Equiv. dry leaf 3 g Panax ginseng root ext dry conc Stand.	421mg 500mg 830mg
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g Vitis Vinifera Seed ext. dry conc Stand. Equiv. to min. seed dry 50.72g Equiv. to procyanidins 400 mg Quercetin Dihydrate Camellia sinensis leaf ext. dry conc. Stand Equiv. min. dry leaf 24.9 g Equiv. to Catechins 689 mg Equiv. to Epigallocatechin-3-0-gallate 415 mg Cynara scolymus leaf ext. dry conc. Equiv. dry leaf 3 g Panax ginseng root ext dry conc Stand. Equiv. min. dry root 3 g	421mg 500mg 830mg
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g Vitis Vinifera Seed ext. dry conc Stand. Equiv. to min. seed dry 50.72g Equiv. to procyanidins 400 mg Quercetin Dihydrate Camellia sinensis leaf ext. dry conc. Stand Equiv. min. dry leaf 24.9 g Equiv. to Catechins 689 mg Equiv. to Epigallocatechin-3-0-gallate 415 mg Cynara scolymus leaf ext. dry conc. Equiv. dry leaf 3 g Panax ginseng root ext dry conc Stand. Equiv. min. dry root 3 g Equiv. ginsenosides calculated as Ginsenosides	421mg 500mg 830mg
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g Vitis Vinifera Seed ext. dry conc Stand. Equiv. to min. seed dry 50.72g Equiv. to procyanidins 400 mg Quercetin Dihydrate Camellia sinensis leaf ext. dry conc. Stand Equiv. min. dry leaf 24.9 g Equiv. to Catechins 689 mg Equiv. to Catechins 689 mg Equiv. to Epigallocatechin-3-0-gallate 415 mg Cynara scolymus leaf ext. dry conc. Equiv. dry leaf 3 g Panax ginseng root ext dry conc Stand. Equiv. min. dry root 3 g Equiv. ginsenosides calculated as Ginsenosides Rg1. Re. Rf, Rb1, Rb2, Rc, Rd 75mg	421mg 500mg 830mg 30mg
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g Vitis Vinifera Seed ext. dry conc Stand. Equiv. to min. seed dry 50.72g Equiv. to procyanidins 400 mg Quercetin Dihydrate Camellia sinensis leaf ext. dry conc. Stand Equiv. min. dry leaf 24.9 g Equiv. to Catechins 689 mg Equiv. to Catechins 689 mg Equiv. to Epigallocatechin-3-0-gallate 415 mg Cynara scolymus leaf ext. dry conc. Equiv. dry leaf 3 g Panax ginseng root ext dry conc Stand. Equiv. min. dry root 3 g Equiv. ginsenosides calculated as Ginsenosides Rg1. Re, Rf, Rb1, Rb2, Rc, Rd 75mg Alpha Lipoic Acid (R, S alpha lipoic acid)	421mg 500mg 830mg 30mg 300mg
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g Vitis Vinifera Seed ext. dry conc Stand. Equiv. to min. seed dry 50.72g Equiv. to procyanidins 400 mg Quercetin Dihydrate Camellia sinensis leaf ext. dry conc. Stand Equiv. min. dry leaf 24.9 g Equiv. to Catechins 689 mg Equiv. to Catechins 689 mg Equiv. to Epigallocatechin-3-0-gallate 415 mg Cynara scolymus leaf ext. dry conc. Equiv. dry leaf 3 g Panax ginseng root ext dry conc Stand. Equiv. min. dry root 3 g Equiv. ginsenosides calculated as Ginsenosides Rg1, Re, Rf, Rb1, Rb2, Rc, Rd 75mg Alpha Lipoic Acid (R, S alpha lipoic acid) Choline Bitartrate	421mg 500mg 830mg 30mg
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g Vitis Vinifera Seed ext. dry conc Stand. Equiv. to min. seed dry 50.72g Equiv. to procyanidins 400 mg Quercetin Dihydrate Camellia sinensis leaf ext. dry conc. Stand Equiv. min. dry leaf 24.9 g Equiv. to Catechins 689 mg Equiv. to Epigallocatechin-3-0-gallate 415 mg Cynara scolymus leaf ext. dry conc. Equiv. dry leaf 3 g Panax ginseng root ext dry conc Stand. Equiv. min. dry root 3 g Equiv. min. dry root 3 g Equiv. ginsenosides calculated as Ginsenosides Rg1. Re, Rf, Rb1, Rb2, Rc, Rd 75mg Alpha Lipoic Acid (R, S alpha lipoic acid) Choline Bitartrate Equiv. to Choline 205.6 mg	421mg 500mg 830mg 30mg 300mg 200mg 500mg
Ganoderma lucidum fruit body ext. dry conc. Equiv. dry fruiting body 2g Vitis Vinifera Seed ext. dry conc Stand. Equiv. to min. seed dry 50.72g Equiv. to procyanidins 400 mg Quercetin Dihydrate Camellia sinensis leaf ext. dry conc. Stand Equiv. min. dry leaf 24.9 g Equiv. to Catechins 689 mg Equiv. to Catechins 689 mg Equiv. to Epigallocatechin-3-0-gallate 415 mg Cynara scolymus leaf ext. dry conc. Equiv. dry leaf 3 g Panax ginseng root ext dry conc Stand. Equiv. min. dry root 3 g Equiv. ginsenosides calculated as Ginsenosides Rg1, Re, Rf, Rb1, Rb2, Rc, Rd 75mg Alpha Lipoic Acid (R, S alpha lipoic acid) Choline Bitartrate	421mg 500mg 830mg 30mg 300mg

VITAMINS	
Ascorbic Acid (Vitamin C)	30mg
Biotin (Vitamin H)	2.5mg
Nicotinamide (Vitamin B3)	100mg
Thiamine Hydrochloride	1.35 mg
Equiv. to thiamine (Vitamin B1) 1.2 mg	
Riboflavin (vitamin B2)	1.3 mg
Calcium Pantothenate	4.37 mg
Equiv. to pantothenic acid (Vitamin B5) 4 mg	
Equiv. to calcium 366.4 micrograms	
Pyridoxine Hydrochloride	13.98 mg
Equiv. Pyridoxine (Vitamin B6) 11.5 mg	o de la companya de
Mecobalamin (vitamin B12)	2.3 micrograms
Levomefolate Glucosamine	721.4 microgram
Equiv. Levomefolic acid 400 micrograms	
TRACE MINERALS	
Selenomethionine	372.6 microgran
Equiv. to Selenium 150 micrograms	07 <u>2.0 1</u> 010 ₀ .a
Colloidal Anhydrous Silica	107 mg
Zinc Oxide	18.67 mg
Equiv. to Zinc 15 mg	10.07 1116
Chromium Picolinate	402.2 microgran
Equiv. to Chromium 50 micrograms	402.2 microgram
Sodium Molybdate Dihydrate	107 micrograms
Equiv. to Molybdenum 40 micrograms	107 morograms
Manganese Gluconate	16.26 mg
Equiv. to Manganese 1.85 mg	10.20116
Copper Gluconate	1.43 mg
Equiv. to Copper 200 micrograms	
Ferrous Fumarate	25.6 mg
Equiv. to Iron 8mg	20.0 1116
Magnesium Citrate	928.2mg
Equiv. to Magnesium 150 mg	JEO.Emg
Potassium lodide	131 micrograms
Equiv. to lodine 100 micrograms	101 Micrograms
Equiv to Potassium 30.8 micrograms	

KEY APPROVED INDICATIONS

Inulin and oligofructose promote the growth of healthy gut bacteria, increase bowel movements, and support gastrointestinal health.

Astaxanthin, curcumin, alpha-lipoic acid, quercetin, selenium, zinc, green tea, panax ginseng, manganese, vitamin C and vitamin B6 are antioxidants that help to reduce free radical damage.

Fucoidan, Vitus Vinifera (Grape seed) and Ganoderma **lucidum (Reishi mushroom)** are used in Traditional Chinese Medicine as anti-inflammatory to relieve inflammation.

Fucoidan and Vitus Vinifera (Grape seed) are used in Traditional Chinese Medicine to enhance immune function.

Glycyrrhiza Glabra (liquorice) is traditionally used in Western Herbal Medicine to enhance immune system function

Curcumin helps relieve inflammation, promote joint health, and relieve symptoms of mild arthritis.

Quercetin helps relieve inflammation, duration of common colds and symptoms of mild allergies and hay fever.

Biotin and silica reduce hair loss and promote hair thickness as well as promoting healthy nails.

VITAMINIO

Astaxanthin and vitamin C promote collagen formation and improve skin elasticity, strength, and firmness

Cynara Scolymus (Globe Artichoke) is traditionally used in Western Herbal Medicine to support detoxification processes and healthy liver function and reduce mild gastrointestinal inflammation

Zinc and vitamin B6 help fight infections.

Vitamin C promotes immune defence.

Astaxanthin and vitamin C promote collagen formation and improve skin elasticity, strength, and firmnes

Chromium, magnesium, vitamins B1 and B12 and inositol assist with glucose metabolismand support healthy blood glucose levels.

Choline assists digestion of fats and helps in the maintenance of healthy blood lipids.

Vitamins B1, B2, B3, B5, B6, B12 and inositol support energy production.

Vitamin C and magnesium support energy production.

Alpha-lipoic acid, panax ginseng, magnesium, choline, and vitamins B1, B2, B3, B6 and B12 support nervous system function.

Choline supports cognitive function and brain helath.

Zinc and manganese promotes reproductive health.

Magnesium relieves muscle cramps and helps improve muscle relaxation and endurance.

Camellia Sinensis (Green tea) used in traditional Ayurvedic Medicine to improve body metabolism and promote energy production and thermogenesis.

Panax ginseng is used in Traditional Chinese Medicine to enhance cognitive performance and memory, decrease mental fatigue, and help the body adapt to stress.

WARNINGS

- Do not use if planning to become pregnant
- Do not use during pregnancy and breastfeeding. Not recommended in children under 2 years.
- Always read the label and follow the directions for use.
- If you have any pre-existing conditions or are on any medications, speak to your doctor before use or a Traditional Chinese Medicine practitioner if you are uncertain if this
- medication is right for you. Some products should be ceased at least two weeks before any elective surgery,
- please confirm with your health professional.
- If symptoms persist, seek medical advice. Do not use if cap seal is broken.

- Stop taking this medication if you experience tingling, burning or numbness and see your healthcare practitioner as soon as possible [contains vitamin B6]. This product contains selenium which is toxic in high doses. A daily dose of 150
- micrograms for adults of selenium from dietary supplements should not be exceeded. Contains zinc which may be dangerous if taken in large amounts for a long period of
- Not for treatment of iron deficiency conditions.
- Drink plenty of water. Supplements are only of benefit if dietary intake is inadequate.
- Keep out of reach of children.

- 1. Jiri Mlcek, Tunde Jurikova, Sona Skrovankova and Jiri Sochor. Quercetin and Its Anti-Allergic Immune Response. Molecules 2016, 21(5), 623
- 2. Yao Li, Jiaying Yao, Chunyan Han, Jiaxin Yang, Maria Tabassum Chaudhry, Shengnan Wang, Hongnan Liu and Yulong Yin. Quercetin, Inflammation and Immunity. Nutrients 2016, 8(3),167
- 3. Sibusiso Luthuli, Siya Wu, Yang Cheng, Xiaoli Zheng, Mingjiang Wu and Haibin Tong. Therapeutic Effects of Fucoidan: A Review on Recent Studies. Mar. Drugs 2019, 17(9), 487
- 4. J. Helen Fitton, Damien N. Stringer, Ah Young Park and Samuel S. Karpiniec. Therapies from Fucoidan: New Developments. Mar. Drugs 2019, 17(10), 571Apostolova E, Lukova P, Baldzhieva A, et al. Immunomodulatory and Anti-Inflammatory Effects of Fucoidan: A Review. Polymers (Basel). 2020;12(10):2338. Published 2020 Oct 13. doi:10.3390/polym12102338
- 5. Sergio Davinelli, Michael E. Nielsen and Giovanni Scapagnini. Astaxanthin in Skin Health, Repair, and Disease: A Comprehensive Review. Nutrients- 2018, 10 (4),522
- 6. Andrea Donoso, Javiera González-Durán, Andrés Agurto Muñoz, Pablo A.González, Cristian Agurto-Muñoza "Therapeutic uses of natural astaxanthin: An evidence-based review focused on human clinical trials". Pharmacological Research Volume 166, April 2021, 105479
- 7. Michael Ash. Astaxanthin: The Key to a New You. Clinical Education: Reviews. 2019. https://newlifebio.eu/uploads/astaxanthin pdf/Astaxanthin-Beneficii.pdf
- 8. Payal Rathi1, Chatrasal S Rajput2. Antioxidant Potential Of Grapes(Vitis Vinifera): A Review. Journal of Drug Delivery& Therapeutics; 2014, 4(2), 102-104
- 9. Nurhan Unusan. Proanthocyanidins in grape seeds: An updated review of their health benefits and potential uses in the food industry. Journal of Functional Foods. Volume 67, April 2020
- 10. R. Perestrelo, C. Silva, J. Pereira, José S. Câmara. HEALTHY EFFECTS OF BIOACTIVE METABOLITES FROM VITIS VINIFERA L. GRAPES: A REVIEW. Grapes: Production, phenolic composition and potential biomedical effects (2014): 305-338.
- 11. Zheng Feei Ma and Hongxia Zhang. Phytochemical Constituents, Health Benefits, and Industrial Applications of Grape Seeds: A Mini-Review Antioxidants 2017, 6(3), 71
- 12. Parmar Namita, Rawat Mukesh and Kumar J. Vijay. Camellia Sinensis (Green Tea): A Review Global Journal of Pharmacology 6 (2): 5259, 2012
- 13. Rosalind J. Moore, Kim G. Jackson and Anne M. Minihane. Green tea (Camellia sinensis) catechins and vascular function. British Journal of Nutrition (2009), 102, 1790–1802
- 14. Mariangela Rondanelli, Antonella Riva, Giovanna Petrangolini, Pietro Allegrini, Simone Perna, Milena Anna Faliva, Gabriella Peroni, Maurizio Naso, Mara Nichetti, Federica Perdoni and Clara Gasparri. Effect of Acute and Chronic Dietary Supplementation with Green Tea Catechins on Resting Metabolic Rate, Energy Expenditure and Respiratory Quotient: A Systematic Review. Nutrients 2021, 13(2), 644;
- 15. Tia M.Rains, Sanjiv Agarwal & Kevin C.Maki. Antiobesity effects of green tea catechins: a mechanistic review. The Journal of Nutritional Biochemistry. Volume 22, Issue 1, 2011.
- 16. Health Canada. Monograph: Reishi Ganoderma lucidium. Health Canada. 2019
- 17. Sissi Wachtel-Galor, John Yuen, John A. Buswell, and Iris F. F. Benzie. Chapter 9 Ganoderma lucidum (Lingzhi or Reishi). Herbal Medicine: Biomolecular and Clinical Aspects. 2nd edition.2011
- 18. Jae Joon Wee, Kyeong Mee Park, and An-Sik Chung. Biological Activities of Ginseng and Its Application to Human Health. Herbal Medicine: Biomolecular and Clinical Aspects. 2nd edition. 2011.
- 19. Ki Hyun Kim, Dahae Lee, Hye Lim Lee, Chang-Eop Kim, Kiwon Jung, Ki Sung Kang. Beneficial effects of Panax ginseng for the treatment and prevention of neurodegenerative diseases: past findings and future directions. Journal of Ginseng Research/Volume 42, Issue 3, July 2018, Pages 239-247
- 20. Soowon Kang and Hyeyoung Min. Ginseng, the 'Immunity Boost': The Effects of Panax ginseng on Immune System. J Ginseng Res. 2012 Oct; 36(4): 354–368.
- 21. Sun Hee Hyun, Ha-Young Ahn, Hyeong-Jun Kim, Sung Won Kim, Seung-Ho So, Gyo In, Chae-Kyu Park & Chang-Kyun Han. Immuno-enhancement effects of Korean Red Ginseng in healthy adults: a randomized, double-blind, placebo-controlled trial. Journal of Ginseng ResearchVolume 45, Issue 1, January 2021, Pages 191-198
- 22. Mohaddese Mahboubi. Cynara scolymus (artichoke) and its efficacy in management of obesity. Bulletin of Faculty of Pharmacy, Cairo UniversityVolume 56, Issue 2, December 2018, Pages 115-120
- 23. Sepideh Miraj and Sadegh Kiani. Study of therapeutic effects of Cynara scolymus L.: A review. Der Pharmacia Lettre, 2016, 8 (9):168-173

REFERENCES

- 24. Heitor Oliveira Santos, Allain Amador Bueno, João Felipe Mota. The effect of artichoke on lipid profile: A review of possible mechanisms of action. Pharmacological ResearchVolume 137, November 2018, Pages 170-178
- 25. El-Saber Batiha G, Magdy Beshbishy A, El-Mleeh A, Abdel-Daim MM, Prasad Devkota H. Traditional Uses, Bioactive Chemical Constituents, and Pharmacological and Toxicological Activities of Glycyrrhiza glabra L. (Fabaceae). Biomolecules. 2020;10(3):352. Published 2020 Feb 25.
- 26. European Medicines Agency. Community herbal monograph on Glycyrrhiza glabra L. and/or Glycyrrhiza inflata Bat. and/or Glycyrrhiza uralensis Fisch., radix. Community herbal monograph on Glycyrrhiza glabra L. and/or Glycyrrhiza inflata Bat. and/or Glycyrrhiza uralensis Fisch., radix. EMA/HMPC/571119/20. 2012
- 27. Health Canada. Glycyrrhiza glabra Monograph. Drugs and Health Products, 2018. http://webprod.h c-sc.gc.ca/nhpid bdipsn/monoRe g.do?id=127
- 28. Marcel B. Roberfroid. Concepts in Functional Foods: The Case of Inulin and Oligofructose. The Journal of Nutrition, Volume 129, Issue 7, July 1999, Pages 1398S-1401S
- 29. Narinder Kaur & Anil K. Gupta. Applications of inulin and oligofructose in health and nutrition. Journal of Biosciences volume 27, pages703–714 (2002)
- 30. Samantha K. Gill, Megan Rossi, Balazs Bajka & Kevin Whelan. Dietary fibre in gastrointestinal health and disease. Nature Reviews Gastroenterology & Hepatology volume 18, pages101–116 (2021)
- 31. Bahare Salehi, Yakup Berkay Yılmaz, Gizem Antika, Tugba Boyunegmez Tumer, Mohamad Fawzi Mahomoodally, Devina Lobine, Muhammad Akram, Muhammad Riaz, Esra Capanoglu, Farukh Sharopov, Natália Martins, William C. Cho and Javad Sharifi-Rad. Insights on the Use of α-Lipoic Acid for Therapeutic Purposes. Biomolecules 2019, 9(8), 356, 2019
- 32. Nikolaos Papanas 1, Dan Ziegler. Efficacy of α-lipoic acid in diabetic neuropathy. Expert Opin Pharmacother. 2014 Dec;15(18):2721, 31
- 33. Rosemary A Fricker, Emma L Green, Stuart I Jenkins, and Síle M Griffin. The Influence of Nicotinamide on Health and Disease in the Central Nervous System. International Journal of Tryptophan Research. 2018
- 34. Natural Medicines Comprehensive Database. Niacin and Niacinamide (Vitamin B3). Therapeutic Research faculty. 2004
- 35. Lidiane Advincula de Araújo, Flavia Addor, Patrícia Maria, Berardo Gonçalves, Maia Campos. Use of silicon for skin and hair care: an approach of chemical forms available and efficacy. An Bras Dermatol. 2016 May-Jun; 91(3): 331–335, 2016.
- 36. Anderson Oliveira Ferreira, Érika Santos Freire, Hudson Caetano Polonini, Paulo José Lopes Cândido Da Silva, Marcos Antônio Fernandes Brandão and Nádia Rezende Barbosa Raposo. Anti-Aging Effects of Monomethylsilanetriol and Maltodextrin- Stabilized Orthosilicic Acid on Nails, Skin and Hair. Cosmetics 2018, 5(3), 41. 2018
- 37. Colombo VE, Gerber F, Bronhofer M, Floersheim GL. Treatment of brittle nails and onychoschizia with biotin: scanning electron microscopy. Journal of the American Academy of Dermatology. Volume 23, Issue 6, Pages 1127-1132, 1990
- 38. Higdon Jane. An Evidence-based approach to vitamins and minerals. Health Benefits and intake recommendations Biotin. Thieme, New York & Stuttgart., pp. 1 5. 2003
- 39. Karlyle G. Bistas and Prasanna Tadi. Biotin. StatPearls Publishing 2022
- 40. L Braun, M Cohen. Vit C Monograph. Herbs & Natural supplements An evidence-based guide. 2004
- 41. Reavely, N. Vitamin Etc: Vit C Monograph. Vitamin Etc. Bookman Press, Melbourne. 1998
- 42. Nutrient Reference Values For Australia and New Zealand: Including Recommended Dietary Intakes National Health and Medical Research Council: Department of Health and Ageing 6 103-108. 2006
- 43. National Institute of Health. Choline. NIH. 2022
- 44. Saimai Chatree, Nanthaphop Thongmaen, Kwanchanit Tantivejkul, Chantacha Sitticharoon, Ivana Vucenik. Role of Inositols and Inositol Phosphates in Energy Metabolism. MDPI. 2020
- 45. Marine L.Croze, Christophe O.Soulage. Potential role and therapeutic interests of myo-inositol in metabolic diseases. Biochimie, 2013
- 46. M Zimmermann. Burgerstein's Handbook of Nutrition Micronutrients in the Prevention & Therapy of Disease. Thieme 2001.

REFERENCES

- 47. H Osiecki. The Nutrient Bible 1998.
- 48. E Haas. Staying Healthy with Nutrition, 1992.
- 49. H Osiecki. Zinc Monograph. The Nutrient Bible Bio Concepts. Publishing Pg 137-139, 2004
- 50. Rostan Et al. Evidence supporting zinc as an important antioxidant for the skin. International Journal of Dermatology Vol 41, pg 606-611, 2002
- 51. Hyper health. Monograph: Zinc Hyper health. 2007
- 52. Rao, G., & Rowland, K.Zinc for the common cold—not if, but when. The Journal of family practice, 60(11), 669–671, 2011
- 53. Magnesium. National Institute of Health. 2022
- 54. Nutrient Reference Values For Australia and New Zealand: Including Recommended Dietary Intakes. National Health and Medical Research Council: Department of Health and Ageing 6 176-183. 2006
- 55. JW Adamson. The relationship of erythropoietin and iron metabolism to red blood cell production in humans. Seminars in Oncology, 1994
- 56. CP Gupta. Role of Iron (Fe) in the Body. IOSR Journal of Applied Chemistry, 2014
- 57. M Zimmermann. Burgerstein's Handbook of Nutrition Micronutrients in the Prevention & Therapy of Disease. Thieme 2001.
- 58. H Osiecki. The Nutrient Bible 1998.
- 59. E Haas. Staying Healthy with Nutrition, 1992.
- 60. L Braun, M Cohen. Herbs & Natural supplements An evidence-based guide. Elsevier Mosby. 2015
- 61. EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA) 2, Scientific Opinion on the substantiation of health claims related to vitamin B12 and contribution to normal neurological and ??????. European Food Safety Authority. 2010
- 62. Powers J. Riboflavin (Vit B2) and Health. Am J Clin Nutr 2003;77:1352-60.
- 63. L Braun, M Cohen. Herbs & Natural Supplements An evidence based guide- Monograph Herbs & Natural Supplements An evidence based guide 2004.
- 64. M Zimmermann. Monograph: Vit B2. Burgerstein's Handbook of Nutrition Micronutrients in the Prevention & Therapy of Disease 2001.
- $\,$ NHMRC. Nutrient Reference Values: Pyridoxine B6. Nutrient Reference values for Australia and NZ Commonwealth Dept of Health & Aging. Pg 87-92 . 2004
- 66. Higdon, J.Vit B6 An Evidence-Based Approach to Vitamins and Minerals.: Thieme. 2003
- 67. L Braun, M Cohen. Herbs & Natural supplements An evidence based guide. Elsevier Mosby, 2005
- 68. E Haas. Staying Healthy with NA Nutrition. 1992